









The **Bufftech®** Advantage

Long-lasting beauty, superior performance and the best protection you can get that's the Bufftech Advantage.

The difference starts with details.

Precision Routing

Assures a clean, realistic look without visible glue or screws.

Heavyweight Pickets

Provide impact resistance and reduces movement.

Internal Reinforcement

Limits sagging and maintains a strong and sturdy performance.

Shown here: Chesterfield CertaGrain Texture in contrasting colors: Brazilian Blend posts and rails with Frontier Blend pickets

CertaStucco™

Smooth

Color & Texture

CertainTeed sets the standard for the latest innovations in sophisticated styling. From our proprietary texturing process to our unique shades and stain blends, CertainTeed is the undisputed leader in color and texture. Whether you want the look and feel of natural wood or an easy-to-maintain, economical alternative to stucco walls, Bufftech has a vinyl fence to complement any setting. Plus, Bufftech is virtually maintenance-free, and never needs staining or painting. For complete style and color specifications, see page 30.

Mission Ivory CertaStucco

Almond CertaStucco

Colors throughout this brochure are simulated. Consult product samples before making final selection. White Smooth

Almond

Natural Clay Smooth

Performance

Bufftech's premium features, including high-quality raw materials, reinforced rails, heavyweight pickets, routed rails and fence posts, and concealed fasteners, ensure it will outlast and outperform other vinyl fences.

Backed by CertainTeed's exclusive

WindZone™ performance, Bufftech
fence is engineered for use in
high wind and hurricane conditions, as approved
by Miami-Dade County NOA #12-1106.11*.
Recognized as the most stringent standards in
the country, Miami-Dade test protocols include
dynamic wind load testing up to 115 mph.

The Bufftech line also meets requirements of the ASTM and includes styles that comply with local codes for **swimming pool** applications. Check with your local building code official as local codes may vary.

*Miami-Dade County-approved NOA #12-1106.11, for exceptional performance in high wind conditions. To comply with WindZone Performance, additional items are needed for installation. Please reference our product catalog. Expires 3/13/2018.







Look for these icons throughout the brochure on products that meet special performance requirements.

Peace of Mind

CertainTeed stands behind the Bufftech line with an exceptional lifetime limited transferable warranty. SureStart™ protection, an exclusive CertainTeed benefit, covers warranted repair and replacement costs--including labor, for five years after installation.

CertainTeed also guarantees the performance of Bufftech's darker colors and stain blends with our proprietary ColorLast® fade protection, a state-of- the-art acrylic formulation that provides superior protection from the harsh rays of the sun.

CertainTeed is actively pursuing strategies to reduce our environmental impact, while increasing the sustainability of our operations and products. (see back cover for complete third-party testing information).

A company you can trust.

For more than 100 years, homeowners and building professionals alike have relied on CertainTeed as a trusted source of innovative, high-quality building products. Bufftech® continues this long-standing tradition with its superior vinyl fencing line, proudly made in the U.S.A.

Select Cedar CertaGrain®

White	Almond	Natural Clay	Weathered Blend	White	Almond	Natural Clay	Weathered Blend
Select Cedar	Select Cedar	Select Cedar	Select Cedar	CertaGrain	CertaGrain	CertaGrain	CertaGrain
Timber Blend	Frontier Blend	Arbor Blend		Timber Blend	Canyon Blend	Frontier Blend	Arbor Blend
Select Cedar	Select Cedar	Select Cedar		CertaGrain	CertaGrain	CertaGrain	CertaGrain
Arctic Blend	Brazilian Blend	Sierra Blend		Arctic Blend	Brazilian Blend	Sierra Blend	Honey Blend
Select Cedar	Select Cedar	Select Cedar		CertaGrain	CertaGrain	CertaGrain	CertaGrain 5



Galveston

Smooth Finish

Heights: 7' & 8'

Picket Style: 7/8" x 7" Tongue & Groove





Galveston

Smooth Finish with Lattice & Galveston with Victorian (not shown)

Heights: 7' & 8', 6' 8" plus 1' 4" Accent Picket Style: 7/8" x 7" Tongue & Groove



Almond



Distinctive
Deco Rail Design
available with smooth
fence styles.





Chesterfield CertaGrain® Texture Decorative Accents and Styles

Customers look to CertainTeed for the latest innovations in style and performance. We're bringing you privacy with a different view. Introducing Chesterfield's expanded selection of CertaGrain® Texture Decorative Accents and Styles.



Add a unique, decorative style in one of four rich blend colors. Introducing the new Chesterfield Concave and Convex to make your fence stand out among the rest.

with Concave

Heights: 6'

Picket Style: 7/8" x 7" Tongue & Groove









with Convex

Heights: 6'

Picket Style: 7/8" x 7" Tongue & Groove











Transition from low to high fence sections. These specially designed fence sections provide an aesthetically appealing way to unify your fence installation.

with S Curve

Heights: Transitions from 6' to 4' Picket Style: 7/8" x 7" Tongue & Groove





with Swoop

Heights: Transitions from 6' to 4' Picket Style: 7/8" x 7" Tongue & Groove





with Victorian Accent

Heights: 4' 8" plus 1' 4" Accent Picket Style: 7/8" x 7" Tongue & Groove






with Lattice Accent

Heights: 4' 8" plus 1' 4" Accent Picket Style: 7/8" x 7" Tongue & Groove









Smooth Finish

Ideal for transitioning from low to high fence.

Heights: Transitions from 6' to 4' Available Colors: White & Almond Picket Style: 7/8" x 7" Tongue & Groove





Smooth Finish

Ideal for transitioning from low to high fence.

Heights: Transitions from 6' to 4' Available Colors: White & Almond Picket Style: 7/8" x 7" Tongue & Groove







with Westminster Accent

Heights: 4' 8" plus 1' 4" Accent Picket Style: 7/8" x 7" Tongue





with Swoop

Ideal for transitioning from low to high fence.

Heights: Transitions from 6' to 4'
Picket Style: 5/8" x 11-3/8" Tongue & Groove

White

Almond

with S Curve

Ideal for transitioning from low to high fence.

Heights: Transitions from 6' to 4'
Picket Style: 5/8" x 11-3/8" Tongue & Groove

White



with Lattice Accent

Heights: 4' 11" plus 1' 1" Accent Picket Style: 5/8" x 11-3/8" Tongue & Groove



Almond


with Victorian Accent

Heights: 4' 11" plus 1' 1" Accent Picket Style: 5/8" x 11-3/8" Tongue & Groove











Baron

Smooth Finish

Heights: 3', 4', 5' & 6' (5' & 6' include midrail) Picket Style: 7/8" x 3"

Picket Spacing: 2-15/16"









Princeton

Heights: 3', 4', 5' & 6' (5' & 6' include midrail)

Picket Style: 7/8" x 1-1/2" Picket Spacing: 1-3/4"

White

Almond



Countess

Heights: 3', 4', 5' & 6' (5' & 6' include midrail) Picket Style: 7/8" x 1-1/2", 7/8" x 3" Picket Spacing: 2-5/16"

White

Almond



Monarch

Heights: 3', 4', 5' & 6' (5' & 6' include midrail) Picket Style: 7/8" x 1-1/2", 7/8" x 3" Picket Spacing: 3"

White

Almond



Victorian

Heights: 3', 4', 5' & 6' (5' & 6' include midrail) Picket Style: 7/8" x 1-1/2" Picket Spacing: 3-5/8"

White

Classic

Sophisticated styling in an elegant design

Manchester

Thru-picket "good neighbor" design is equally attractive on both sides.
Thru-picket styles are 8' wide.

Heights: 3', 4'

Picket Style: 1-1/2" Square Picket Spacing: 1-9/16"

White

Almond

Classic Impressions™ Posts

for Manchester

Heights: 3' & 4' posts available (available specifically to complement Manchester fence for flat and concave styles)

White







Concave

Heights: 3', 4'

Picket Style: 1-1/2" Square Picket Spacing: 1-9/16"

White



Canterbury

Heights: 3' & 4'

Picket Style: 1-1/2" Square Picket Spacing: 1-9/16"

White

Canterbury

with Swoop

Heights: 3' & 4'

Picket Style: 1-1/2" Square Picket Spacing: 1-9/16"

White



A timeless look that's always in style

Danbury Select Cedar Texture

Straight/Concave

Thru-picket "good neighbor" design is equally attractive on both sides. Thru-picket styles are 8' wide.

Heights: 4'

Picket Style: 3" Pointed Picket Picket Spacing: 2-15/16"





Danbury

Smooth Finish Straight

Thru-picket "good neighbor" design

Heights: 4'

Picket Style: 3" Pointed Picket Picket Spacing: 2-15/16"



Almond



Danbury Concave

Thru-picket "good neighbor" design

Heights: 4'

Picket Style: 3" Dog Ear Picket Picket Spacing: 2-15/16"





Rothbury Straight




Post & Rail

A winning combination of beauty, durability and versatility

Safe for Horses

Bufftech's post & rail fence provides a safe, reliable enclosure for horses and other livestock. Available with CertaGrain Texture, our post & rail fence offers the authentic look of painted wood fence with the durability, low maintenance and proven performance of Bufftech's premium vinyl design.



Rail Size (White): 1-1/2" x 5-1/2" Ribbed Rail Size (Blend Colors*): 2" x 6" Ribbed






4-Rail

Smooth Finish

Rail Size: 1-1/2" x 5-1/2" Ribbed, 2" x 6" Ribbed



3-Rail CertaGrain Texture


Rail Size (White): 1-1/2" x 5-1/2" Ribbed Rail Size (Blend Colors*): 2" x 6" Ribbed



3-Rail

Smooth Finish
Rail Size:
1-1/2" x 5-1/2" Ribbed,
2" x 6" Ribbed





2-Rail CertaGrain Texture

Rail Size (White): 1-1/2" x 5-1/2" Ribbed Rail Size (Blend Colors*): 2" x 6" Ribbed



2-RailSmooth Finish Rail Size: 1-1/2" x 5-1/2" Ribbed

White



Rail Size: 1-1/2" x 5-1/2" Ribbed



2-Rail and Crossbuck styles are recommended for decorative purposes only.

*CertaGrain Post & Rail Fence in Blend Colors is installed on 6' post centers. Consult our product installation instructions at www.certainteed.com for full details.



Bufftech offers a wide selection of residential gates designed to match all of our fence styles, in a choice of heights and widths. Beautiful and durable, Bufftech gates deliver easy installation and great performance. Choose from unassembled gate kits or pre-assembled gates that ship ready to install.



	Pre-Assembled Gate Widths	Unassembled Gate Kit Maximum Width	Extension Kit Required**		
Galveston	50-1/2"	50-1/2"	No		
Chesterfield	36-1/2" 50-1/2" 64-3/4"	70"	Yes		
Chesterfield Concave Accent	50-1/2"	na	na		
Chesterfield Convex Accent	50-1/2"	na	na		
New Lexington	42-1/2" 50-1/2" 65-1/4"	72"	Yes		
Imperial	50"	72"	Yes		
Columbia*	50"	50"	No		
Millbrook	50"	60"	Yes		
Baron	50"	72"	Yes		
Princeton	50"	72"	Yes		
Countess	50"	72"	Yes		
Monarch	50"	72"	Yes		
Victorian	50"	72"	Yes		
Manchester	50"	50"	No		
Manchester Concave	na	50"	No		
Canterbury	50"	50"	No		
Danbury	50"	50"	No		
Cape Cod	50"	60"	Yes		
Rothbury	50"	50"	No		
Yorkshire	50"	60"	Yes		
2-Rail*	na	72"	na		
3-Rail*	na	96"	na		
4-Rail*	na	96"	na		
Crossbuck*	na	96"	na		

- * All Gates are rackable, except Columbia, Post & Rail (2-Rail, 3-Rail and 4-Rail smooth finish), and Crossbuck styles.
- ** For unassembled gate kits over 50" wide to achieve maximum width

Stainless Steel Gate Hardware

Give your gate the old-world look of wrought iron with our rugged, rust-free stainless steel gate hardware. The hardware includes hinge, strike and latch and is available in two decorative finishes: Black Pebble and Bronze Pebble.





Strike and Latch in Bronze Pebble finish

Hinge in Black Pebble finish

High Performance Nylon Gate Hardware Kits

Versatile and virtually maintenance free, our premium nylon gate hardware offers key lockable latches, self-closing hinges and contoured gate handles. Available in Black.

LokkLatch® Key-Lockable Gate Latch, GateHandle™, MagnaLatch® Magnetic Safety Gate Latch, LokkLatch Magnetic and TruClose® Self-Closing Gate Hinges are registered trademarks of D&D Technologies.















LokkLatch® Magnetic

LokkLatch® with External Access Ki

LokkLatch® Deluxe

MagnaLatch® Magnetic Safety Gate Latch

GateHandle™

TruClose® Adjustable, Self-Closing Gate Hinges

Accessories

Distinctive details for the perfect finishing touch

PVC Post Caps

Bufftech's standard PVC post caps come in a variety of styles.



Aluminum Post Cap Covers



Bronze Pebble Black Pebble

textured decorative finish can be combined with our New England cap and coordinating gate hardware.**

Offered in 4" x 4" and 5" x 5" sizes.

Decorative Post Caps

Bufftech's decorative post caps feature a metallic and powder coat finish.



Solar Post Caps & Lighting

Eco-friendly LED lights provide the ultimate in solar-powered accent lighting. Batteries included.

Solar Post Caps



*Fits both 4" x 4" and 5" x 5" post sizes. Adapter included.


Solar Wedge Lights







^{**}Decorative cap and New England cap sold separately.





Vineyard Pergola

Outside Dimensions: 93"h x 89"w x 54"d Inside Dimensions: 84"h x 48"w x 54"d

White



Beaumont II

Outside Dimensions: 96"h x 57"w x 32"d Inside Dimensions: 90"h x 49"w x 32"d

White

Specifications & Color Availability

		Height	Racking	Post Size	Section Width	Picket Size	Picket Spacing	Code	Metal Rail Reinforcement
	Galveston Smooth	7', 8'	5° *	5" x 5"	96"	7/8" x 7" Tongue & Groove	N/A	0	Top, Middle, Bottom
	Galveston CertaGrain	7', 8'	5° *	5" x 5"	96"	7/8" x 7" Tongue & Groove	N/A	0	Top, Middle, Bottom
acy	Chesterfield Smooth	4', 5', 6'	10° *	5" x 5"	96"	7/8" x 7" Tongue & Groove	N/A	₷ ○	Bottom**
Privacy	Chesterfield CertaGrain	4', 5', 6'	10° *	5" x 5"	96"	7/8" x 7" Tongue & Groove	N/A	№ ○	Bottom**
	Chesterfield CertaStucco	4', 5', 6'	10° *	5" x 5"	96"	7/8" x 7" Tongue & Groove	N/A	S	Bottom
	New Lexington	4', 5', 6'	7° *	5" x 5"	96"	5/8" x 11-3/8" Tongue & Groove	N/A		Bottom
	Imperial Smooth	3', 4'	10°	4" x 4"	96"	7/8" x 3"	7/16"	S	Bottom**
40		5', 6'	5°	5" x 5"		176 X 6	1,10		Bottom
/ate	Imperial Select Cedar	4'	10°	4" x 4"	96"	7/8" x 3"	7/16"	S	Bottom**
Ę.	Imperial delect dedai	5', 6'	5°	5" x 5"	90	1/0 X 0	7/10		Bottom
Semi-Private	Columbia	5', 6'	5°	5" x 5"	96"	7/8" x 6" Ribbed	4-9/16"	<u></u>	Bottom (Aluminum)
	Millbrook	5', 6'	5°	5" x 5"	96"	7/8" x 6" Ribbed	13/16"		Bottom
	Baron Smooth	3', 4' 5', 6'	10° 5°	4" x 4" 5" x 5"	96"	7/8" x 3"	2-15/16"	0	Bottom**
>	Baron Select Cedar	4' 5', 6'	10° 5°	4" x 4" 5" x 5"	96"	7/8" x 3"	2-15/16"	0	Bottom**
porar	Princeton	3', 4' 5', 6'	10° 5°	4" x 4" 5" x 5"	96"	7/8" x 1-1/2"	1-3/4"	0	Bottom
Contemporary	Countess	3', 4' 5', 6'	10° 5°	4" x 4" 5" x 5"	96"	7/8" x 1-1/2" 7/8" x 3"	2-5/16"	0	Bottom
O	Monarch	3', 4' 5', 6'	10° 5°	4" x 4" 5" x 5"	96"	7/8" x 1-1/2" 7/8" x 3"	3"	0	Bottom
	Victorian	3', 4' 5', 6'	10°	4" x 4" 5" x 5"	96"	7/8" x 1-1/2"	3-5/8"		Bottom
Sic	Manchester	3', 4'	5°	5" x 5"	96"	1-1/2" x 1-1/2"	1-9/16"		Bottom
Classic	Canterbury	3', 4'	5°	5" x 5"	96"	1-1/2" x 1-1/2"	1-9/16"		Bottom
	Danbury Smooth	4'	5°	4" x 4"	96"	7/8" x 3"	2-15/16"		Bottom
<u>a</u>	Danbury Select Cedar	4'	5°	4" x 4"	96"	7/8" x 3"	2-15/16"		Bottom
Traditional	Rothbury	4'	5°	4" x 4"	96"	7/8" x 3"	2-15/16"		Bottom
Ë	Cape Cod	3', 4'	15°	4" x 4"	72"	7/8" x 3"	2-7/16"		None
	Cape Cou	5'	15°	5" x 5"	12	7/6 X 3	2-1/10		Notie
	Yorkshire	3', 4'	15°	4" x 4"	72"	7/8" x 3"	2-7/16"		None
3ail	Post & Rail Smooth	3', 4', 5'	5°	5" x 5"	96"	N/A	N/A		None
Post & Rail	Post & Rail CertaGrain	3', 4', 5'	5°	5" x 5"	96" White 72" Blend Colors	N/A	N/A		None
 	Crossbuck	4'	5°	5" x 5"	96"	N/A	N/A		None
					ho amount of racki			4.4.	Poinforced top rail

		рı	Natural Clay	Mission Ivory	Weathered Blend	Timber Blend	Canyon Blend	Frontier Blend	Arbor Blend	Arctic Blend	Brazilian Blend	Sierra Blend	Honey Blend
Rails	White	Almond	Natur	Missic	Weath	Timbe	Canyo	Fronti	Arbor	Arctic	Brazil	Sierra	Hone
2" x 6" Deco x 95" (Top/Bottom) 2" x 6" x 95" (Midrail)	•	•											
2" x 6" Channeled x 95" (Top/Bottom) 2" x 6" x 95" (Midrail)			•		•			•		•	•	•	•
2" x 6" Deco x 95"	•	•	•										
2" x 6" Channeled x 95"	•	•	•		•	•	•	() • []	•	•	•	•	•
2" x 6" Channeled x 95"				•									
1-1/2" x 5-1/2" Deco x 95"	•	•											
1-3/4" x 3-1/2" x 96"	•	•	•										
1-3/4" x 3-1/2" x 96"	•	•	•		•	*		*	•	•	*	•	
3-1/2" x 3-1/2" x 94"	•												
2" x 6" x 94" (Top/Bottom) 1-3/4" x 3-1/2" x 94" (Midrail)	•	•											
1-3/4" x 3-1/2" x 96"	•	•	*										
1-3/4" x 3-1/2" x 96"	•	•	*		•	*		*	•	•	*	•	
1-3/4" x 3-1/2" x 96"	•	•											
1-3/4" x 3-1/2" x 96"	•	•											
1-3/4" x 3-1/2" x 96"	•	•											
1-3/4" x 3-1/2" x 96"	•	•											
2" x 6" x 94" (Bottom) 2" x 3-1/2" x 94" (Top)	•	•											
2" x 6" x 94" (Bottom) 2" x 3-1/2" x 94" (Mid/Top)	•												
1-3/4" x 3-1/2" x 96"	•	•	•										
1-3/4" x 3-1/2" x 96"	•	•	1)•))		•				•	•		•	
1-3/4" x 3-1/2" x 96"	•	•											
1-3/4" x 3-1/2" x 72"	•												
1-3/4" x 3-1/2" x 72"	•												
1-1/2" x 5-1/2" Ribbed or 2" x 6" Ribbed	•	•											
1-1/2" x 5-1/2" Ribbed (white) or 2" x 6" Ribbed (blend colors)	•				*					*	*	•	
1-1/2" x 5-1/2" Ribbed	•												
2" x 6" Ribbed (blend colors)	11111111												



Performance Features	Bufftech Vinyl
Lifetime limited warranty	~
Transferable warranty	V
Parts and 5-year labor warranty	V
Dark color fade warranty	V
Made in the USA	V
Never needs painting or staining	~
Won't chip, peel, crack or splinter	~
Won't rot or support mold growth	V
Impervious to termites/wood-boring insects	V
Lead free	~
No harmful chemicals	~
High-quality raw materials	V
Concealed fasteners	~
Heavyweight pickets	~
Wide choice of colors	V
Woodgrain and stucco textures	~
Steel reinforced rails	~
Routed rails and posts	V
Class A rating for flame spread	~
Recycled Content	~
Self-extinguishing	~
Easy to assemble	V
Building code compliant	V
Meets ASTM standards	V

Quality Assurance

Bufftech fence products undergo rigorous testing to ensure they are manufactured to the highest standards and will withstand the test of time.

Material

- · Dimensional checks
- Wall thickness
- Cap stock thickness
- Color/gloss
- Impact
- Flex
- · Tensile strength
- Accelerated weathering

Design

Railing code approvals

- · Kingston CCRR-0211
- Oxford CCRR-0187
- Panorama® CCRR-0115

Fence certifications

- Miami-Dade county approved NOA#:12-1106.11 (expires 3-13-2018)
- Gates load tested for 300lbs
- ASTM E 90 Sound Transmission Loss Test
- STC 21 (applies to Chesterfield and Galveston)

Building Responsibly with Bufftech

CertainTeed is actively pursuing strategies to reduce our environmental impact, while increasing the sustainability of our operations and products. By carefully examining all environmental impacts throughout each phase of a product's life cycle—from raw materials and manufacturing, to transportation and use, to disposal and/or recycling—we gain a complete, accurate view of our product's true sustainability.

CertainTeed has conducted a Life Cycle Assessment (LCA) and submitted the data to the National Institute of Standards and Technology (NIST) to be published in the building product LCA database, BEES



(Building for Environmental and Economic Sustainability). The findings from this Life Cycle Assessment provide a new, if not surprising, vantage point from which to make more credible and confident decisions on environmentally sound vinyl fence options.

All Bufftech® products are GreenCircle Certified®, a third-party auditing process designed to assure builders, regulators and homeowners that Bufftech fence complies with our environmental and sustainability claims, including the recycled content of our product.





Professional: facebook.com/CertainTeedFreedomofChoice Consumer: facebook.com/CertainTeedLivingSpaces

[Be Certain] Confidence worth building on."

ASK ABOUT ALL OF OUR OTHER CERTAINTEED® PRODUCTS AND SYSTEMS:

ROOFING • SIDING • TRIM • DECKING • RAILING • FENCE GYPSUM • CEILINGS • INSULATION

www.certainteed.com http://blog.certainteed.com

CertainTeed Corporation P.O. Box 860 Valley Forge, PA 19482

Professional: 800-233-8990 Consumer: 800-782-8777

© 1/15 CertainTeed Corporation, Printed in the U.S.A. Code No. 40-40-70610

